

# OKI

## PRO 1050

### LABEL



**OKI**

◀ PRO SERIES LABEL PRINTERS

# Source of Digital Solutions...

Digital Star Qatar has been leading the digital scene in Doha for over 10 years, as suppliers and distributors of signage, advertising and LED solutions. Our commitment to providing the best quality machinery and top-notch technology from around the world has enabled us to set new and improved standards in sign and digital printing industries. DSQ has developed into a true trendsetter and a reliable destination for customers seeking exhaustive custom and wholesale solutions. From sign makers, digital print houses, POS/POP makers, retail fit-out companies, to exhibition stand builders, construction companies and glass and aluminum fabricators industries, we promise to take your business to unprecedented levels

**OKI** PRO 1050  
**LABEL**

## CONTENTS



PRODUCT OVERVIEW

P3



TECHNICAL SPECIFICATION

P4-6



TERMS AND CONDITIONS

P7-8



# PRODUCT OVERVIEW

The Pro1050 brings a new colour dimension to the printed label. Using digital LED together with dry toner technology, the Pro1050 offers a unique fifth colour or 'CMYK+1' option, allowing for greater flexibility in your label design. Printing on transparent or coloured label media is now straightforward by printing an opaque white background under the CMYK image

## PROFITABLE IN-HOUSE LABEL PRINTING

Delivers on-demand, short-run colour label printing capability that drives new revenue streams

## VERSATILE MEDIA HANDLING

Unrivalled media handling allows users to take on new creative ideas and complex jobs with ease

## BRINGING A NEW COLOUR DIMENSION TO LABELS

Fifth colour or CMYK+W option enables greater flexibility in label design

## ROBUST WATER/CHEMICAL RESISTANT PRINTING

Can produce waterproof labels that are robust and resistant to UV fading

# PRODUCT SPECIFICATION

## Model: PRO 1050 Label Printer

Material Number		46672103	
EAN Code		5031713072003	
Print Mechanical Section	Printing Method	Digital 5 LED full-colour electrophotographic printing method	
	Print Speed	Max. 152.4mm/s (6ips)	
	Minimum Print Margin	Top: 2.12mm, Bottom: 2.12mm, Right: 2.12mm, Left: 2.12mm	
	Print Resolution	1200 × 1200 dpi, 600 × 600 dpi	
	Media Type	Media Format	Roll
		Roll Outer Diameter	203.2mm (8")
		Core Inner Diameter	76.2mm (3")
		Media Width	Roll paper: 25.4mm(1.0")- 130mm (5.1") including liner
		Label Length per job	12.7mm - 1320.8mm
		Print Width	25.4mm - 126.0mm
Max Print Width		125.76mm(4.95")	

Print Mechanical Section	Media Type	Cut Length	Min. 101.6mm(4")
		Media Type	Plain Paper, Film, Plain Paper Label
			Glossy Paper Label, Synthetic Film Label
		Media Thickness	0.076 - 0.250mm
		Roll Wind Direction	Face-out, Face-in
		Media Detection	Black Mark (printed on back of liner), Gap, None
	Media Sensor	Thru-Beam Type, Reflective Type	
Auto Cutter	Full Cut		
Recommended Daily Duty Cycle	Max. 8,000 pages per day		
Control Unit	Memory (Std./Max)		2GB/2GB
	Interface	USB	USB 2.0 (High Speed)
		LAN	1000BASE-T/100BASE-TX/10BASE-T
	Protocol		TCP/IP
	Printer Language	Adobe PostScript 3, PCL 5c emulation, PCL 6 (XL) emulation	
Adobe PostScript 136 fonts, PCL emulation 81 scalable fonts			
Font	4 bitmap fonts		

Other Specification	Power Source		Single phase 230V AC +/-10%, 50/60 Hz +/-2%
	Power Consumption	Operating	Max. 1200W / Ave. 710W
		Idle	Ave. 27W
		Power Save	25W or below
	Operating Environment		Operating: 10 - 30 °C, 20 - 70 %RH, Storage: -10 - 43 °C
			10 - 90 %RH, No condensation
	Dimensions (WxDxH)		1040×477×441mm
	Weight (includes supplies)		Approx. 62kg (Printer with unwinder)
	Weight (excludes supplies)		Approx. 50kg(Printer with unwinder)
	Supported O S		Windows 10, Windows 8.1, Windows 8, Windows 7
			Windows Server 2016, Windows Server 2012 R2
			Windows Server 2012,Windows Server 2008 R2
Windows Server 2008			
Safety & Environment		RoHS, Network Access License, cUL Mark, cULus Mark,	
		UL Mark, CSA Mark, EMC-Directive, CE Mark, GS Mark	
Product Life		5 years or 6 million pages	


# TERMS AND CONDITIONS

1. Payment to be made in QR currency.
2. Payment Terms: As mentioned in Quotation.
3. Bank Details: -Bank Name: Qatar Islamic Bank  
Branch: Al Khour Branch  
Beneficiary Name: Digital Star Qatar  
Acc #: (0111453200015)  
Swift Code: (QISB - QAQA)  
IBAN: QA16QISB000000000111453200015.
4. Bank Charges: Any bank charges relevant to the above transactions will be to your Account
5. Any charges, duties, taxes or levies at the ports of entry will be to our account.
6. The charges of lodging, boarding and local conveyance of the technician will be to our account.
7. Any required electrical, mechanical & civil site preparation should be done by the customer according to our engineer's requirements.
8. Digital Star Qatar will not be held responsible for delays caused by any damage in the equipment due to shipment, unloading accidents and any related reasons, which is beyond our control.

9. Warranty will be of 24 months from date of installation from Digital Star Qatar. Wear & tear, consumables are exempted and warranty can be claimed only if you use the service from Digital Star Qatar.
10. Service will be free of cost within 12 months from the date of installation.
11. Any claim will be invoice directly to you then we will send for claiming procedure which will take 45-60 days, if the claim got approved credit note will issued directly.
12. Quotation will be valid for 7 days from here on.
13. Delivery: As mentioned in quotation









## **DIGITAL STAR QATAR** ديجيتال ستار قطر

DOHA | QATAR | P O BOX: 47663

 +974 446 02 558

 +974 441 63 788

 [info@digitalstarq.com](mailto:info@digitalstarq.com)

 [www.digitalstarq.com](http://www.digitalstarq.com)