www.digitalstarq.com



# FLATBED CUTTING PLOTTER

PERFORATION CUTKISS CUT

DIE CUT

CREASING





Digital Star Qatar has been leading the digital scene in Doha for over 10 years, as suppliers and distributers of signage, advertising and LED solutions. Our commitment to providing the best quality machinery and top-notch technology from around the world has enabled us to set new and improved standards in sign and digital printing industries. DSQ has developed into a true trendsetter and a reliable destination for customers seeking exhaustive custom and wholesale solutions. From sign makers, digital print houses, POS/POP makers, retail fit-out companies, to exhibition stand builders, construction companies and glass and aluminum fabricators industries, we promise to take your business to unprecedented levels
















## PRODUCT OVERVIEW

The Vulcan FC-500VC flatbed cutting plotter is ideal for light to medium production and design samples. Ideally suited for packaging boxes, tags, cards and labels.


Camera system, User friendly touch screen, Advanced contour cutting, Network interface, U-Disk function and QRcode system, make the FC-500VC special.

Perforation cut, Die cut, Kiss cut and Creasing, make your ideas come true.









#### **CAMERA SYSTEM**

The FC-500VC uses a high resolution camera for accurate detection of registration marks (as small as 5mm) and can reg marks on both colored and transparent materials. The ability to scan small reg marks saves material, thus reducing production costs.

The ability to scan four reg marks within less than 3 seconds saves production time and reduces costs even further


X: 255 mm Y: 435 mm • x10	¢0 Settros	Speed/Force	Vacaum
		Palae	Files
speed: 65 ♥ 70 ♥ 30 ♥ 40 ♥	O Ref	Have to origin	

#### **USER FRIENDLY TOUCH SCREN**

Easy toggle of vacuum suction: ON-fast/stable hold, OFF -easy replacement of next item.

Easy toggle of arrow key speed for carriage control: Fast(x10)/ Slow(x1) Single key to set origin or return to origin - guarantees accurate positioning


Re-cut button to instantly repeat last job.



#### **ADVANCED CONTOUR CUTTING**

The Vulcan FC-500VC effeciently handles materials loaded on a slant and also compensates for size/ shape distortions. Precise and accurate cuts are assured with our proprietary four mark high-tech detection algorithm.





#### **NETWORK INTERFACE**

A) Stable communications over long distance


B) Control one flatbed cutting plotter from multiple computers

C) Control different flatbed cutting plotters from one computer

|--|

#### **U-DISK FUNCTION**

PLT-files saved on USB thumb drives (U-disk) can be used for direct output. this means that the FC-500VC can be used without being connected to a computer.



#### **QR CODE SYSTEM**

FC-500VC reads QR-codes on the printed media, allowing automatic matching of print and cut files. This both speeds production and eliminates any chance of mismatched files.





### **PRODUCT OUTPUT**

#### PACKAGING



#### **HOBBIES/CRAFTS**



**TAGS** 





LABELS









## PRODUCT SPECIFICATION

#### Model: FC-500VC

Configuration	Digital servo system, Flatbed	
Media hold-down method	Vacuum suction	
Maximum cutting speed	700 mm/s (10 to 700 mm/s )	
Cutting pressure	Tool1: Max.5.88N(600 gf)	
	Tool 2: Max. 5.88 N (600 gf)	
Effective cutting area	495x685mm	
Mountable media(Y-axis direction)	640mm	
Minimum character size	5 mm square	
Mechanical resolution	0.005 mm (5μm)	
Programmable resolution	HP-GL: 0.025 mm	
Repeatability	0.1mm	
Standard interfaces	USB2.0 (Full Speed) / U-Disk / Ethernet	
Memory	32MB	



#### www.digitalstarq.com



Command sets	HP-GL
Number of tools	2 tools
Tool types	Cutter blade / Pen / Creasing/Etching tool
Operating screen	4.3-inch touch LCD
Power supply	100 to 240 V AC, 50/60 Hz (Auto switching)
Power consumption	Max. 150VA (machine), Max.550W (vacuum pump)
Operating environment	Temperature: 10 to 35 degrees C (35 to 95 degrees F)
Humidity	
Hamary	35 to 75% RH (non-condensing)
External dimensions	35 to 75% RH (non-condensing) 981(Y)x977(X)x1047(H)mm
	č
External dimensions	981(Y)x977(X)x1047(H)mm





## TERMS AND CONDITIONS

- 1. Payment to be made in QR currency.
- 2. Payment Terms: As mentioned in Quotation.
- 3. Bank Details: -Bank Name: Qatar Islamic Bank

Branch: Al Khour Branch

Beneficiary Name: Digital Star Qatar

Acc #: (0111453200015)

Swift Code: (QISB - QAQA)

IBAN: QA16QISB00000000111453200015.

- 4. Bank Charges: Any bank charges relevant to the above transactions will be to your Account
- 5. Any charges, duties, taxes or levies at the ports of entry will be to our account.
- 6. The charges of lodging, boarding and local conveyance of the technician will be to our account.
- 7. Any required electrical, mechanical & civil site preparation should be done by the customer according to our engineer's requirements.
- 8. Digital Star Qatar will not be held responsible for delays caused by any damage in the equipment due to shipment, unloading accidents and any related reasons, which is beyond our control.





- 9. Warranty will be of 12 months from date of installation from Digital Star Qatar. Wear & tear, consumables are exempted and warranty can be claimed only if you use the service from Digital Star Qatar.
- 10. Service will be free of cost within 12 months from the date of installation.
- 11. Any claim will be invoice directly to you then we will send for claiming procedure which will take 45-60 days, if the claim got approved credit note will issued directly.
- 12. Quotation will be valid for 7 days from here on.
- 13. Delivery: As mentioned in quotation



#### SOURCE OF DIGITAL SOLUTIONS

# DIGITAL STAR

### DIGITAL STAR QATAR دیجیتال ستار قطر

DOHA | QATAR | P O BOX: 47663

🔇 +974 446 02 558 🛛 🖪 +974 441 63 788 🖾 info@digitalstarq.com 🚯 www.digitalstarq.com